



Independent
Arboricultural
Services



Arborist Comments Report

Prepared For: Western Downs Regional Council -
Thomas Jack Park

Job Date: 22 April 2024

74 Condamine Street
Dalby QLD 4405

IAS14205



Independent Arboricultural Services - Disclaimer

The material contained in this document has been prepared on an independent basis free of any bias and represents the honest opinion of the consulting arborist.

Tissue or soil samples have not been collected nor submitted for testing unless otherwise stated. Excavation is limited to minor earthworks and we submit this assessment on the basis that all data is based on visual inspection of the tree/s and its/their location, species, health and condition at the time of writing unless otherwise stated. Measurements and tree locations noted in this report are approximate and have not been determined by survey unless information and analysis has been provided by the consultant or such information is otherwise noted. Please request a more detailed arborist report if further information and analysis is required. Depending on site requirements, specific alternate specialist advice including engineering consultancy and certification maybe required in combination with this assessment. This assessment contains arborist advice and associated general information only and does not purport to provide other site-specific specialist advice such as engineering certification unless arrangement to source such advice for inclusion in this assessment has been requested and authorised.

This report containing opinions, advice and recommendations based on information and data gathered from site inspections carried out by personnel from Independent Arboricultural Services as well as information provided by the client and/or its representatives, is to be relied on by the client in that context. It is assumed that all such information provided to Independent Arboricultural Services is correct. All recommended arboricultural works detailed in this assessment including pruning of tree canopy or roots, tree removal, tree transplantation or other associated works including stump grinding or the application of any prescribed treatment shall be carried out in accordance with applicable standards including Australian Standards AS 4373-2007 Pruning of amenity trees and AS 4970-2009 Protection of trees on development sites.

This report is subject to copyright laws and no part of it may be reproduced or used without the express written permission of the client or Independent Arboricultural Services, nor shall it be conveyed to the public through advertising, public relations, news, sales or other media without the written consent of the consultant and no responsibility will be accepted by Independent Arboricultural Services should such unauthorised use of this report be made. The consultant shall not be required to give testimony or to attend court by reason of this report unless subsequent contractual arrangements have been made including payment of additional fees for such services.

The invoice for this report will be issued to the person or entity as per the address advised at the time of confirmation of appointment. Assessment in this report is based on plans provided at the time of confirmation of engagement and report preparation. Additional time required for re-assessment of report detail due to subsequent re-issue of plans after report preparation will be subject to an additional fee which will be charged at our hourly rate. This report shall not be conveyed to any third party including regulatory authority/s until full payment of this invoice is received by Independent Arboricultural Services and a finalised report has been issued unless agreement to do so has been granted.

Factors including the absence of historical records or local knowledge, recognition of the variability of the integrity of a tree as a naturally living organism as well as the impact of conditions within its surrounds to which it maybe subject including the impacts of mechanical force and the occurrence of weather events, do not allow an arborist to guarantee the age of a tree, or the length of time a tree/s may live or such time as it /they may fail. There is no warranty or guarantee, expressed or implied that the problems or deficiencies of the plants or property in question may not arise in the future.

Table of Contents

Independent Arboricultural Services - Disclaimer 1

Document Tracking & Information 3

Contact Details 4

Abbreviations 4

Map 5

Introduction..... 6

Arborist Comment..... 7

Tree Risk Summary..... 8

Risk Matrix..... 8

Risk Approach..... 9

Explanation of Terminology 9

Tree Locations and Risk Rating..... 11

Tree Details..... 12

General Recommendation and Guidelines 36

Tree Protection Measures and Guidelines..... 37

Photos..... 38

Reference Page..... 133

Company Details..... 134

Document Tracking & Information

Project Name	Tree Risk Assessment		
Project Arborist	Will Miller & Stephen Catchpoole (AQF Level 5)		
Client	Western Downs Regional Council - Thomas Jack Park		
Address	74 Condamine Street, Dalby QLD 4405		
IAS Reference	IAS14205		
Prepared By	Will Miller (AQF Level 5)		
Checked By	Mick Maher (AQF Level 5)	Date	Tuesday, 30 April 2024
Revision	1		
Andrew Rankine <i>Director</i>	- Diploma Arb. (AQF Level 5) - Arboriculture Australia Registered Professional Arborist - QTRA (Qualified)	- TRAQ (Qualified) - ISA Certified Arborist & Municipal Specialist AU-0269AM - QAA Qualified Member	
Roger Rankine <i>Managing Director</i>	- Diploma Arb. (AQF Level 5) - Grad Cert Arb. (AQF Level 8) - ISA Board Certified Master Arborist (QL-001A)	- QTRA (Qualified) - TRAQ (Qualified) - QAA Qualified Member	
Mick Maher <i>Business Manager</i>	- Diploma Arb. (AQF Level 5) - TRAQ (Qualified) - QTRA (Qualified) - Cert IV Project Management	- Cert III Conservation and Land Management - Cert II Horticulture (Turf Management) - QAA Qualified Member	
Stephen Catchpoole <i>Consulting Arborist</i>	- Diploma Arb. (AQF Level 5) - Doctor of Philosophy in Forestry (PhD) - QTRA (Qualified)	- TRAQ (Qualified) - Bachelor of Science Forestry - Bachelor of Science (Hons Botany) - QAA Qualified Member	
Garry Rangi <i>Consulting Arborist</i>	- Diploma Arb. (AQF Level 5) - TRAQ (Qualified) - Cert III in Civil Construction: (Plant Operations), (Pipe Laying), (Road Construction & Maintenance) - Advanced Diploma of Civil Construction - Cert III in Conservation Earthworks - QAA Qualified Member	- Diploma Horticulture - Diploma Project Management - Diploma Business Management - Associate Diploma (Wilderness Reserves & Wildlife) - Arboriculture Australia Registered Consulting Arborist	
Sam Gilbey <i>Consulting Arborist</i>	- Diploma Arb. (AQF Level 5) - TRAQ (Qualified) - QTRA (Qualified)	Bachelor of Science in Ecology and Conservation Biology	
Kieran Pentland <i>Consulting Arborist</i>	- Diploma Arb. (AQF Level 5) - Grad Cert Arb. (AQF Level 8) - MSc. Arb. & Urban Forestry (AQF Level 9) - ISA Board Certified Master Arborist - QAA Qualified Member - QTRA (Qualified)	- TRAQ (Qualified) - Bachelor of Arts in Leisure Management - National Cert in Tree Management - National Cert in Horticulture	
Will Miller <i>Consulting Arborist</i>	- Diploma Arb. (AQF Level 5) - TRAQ (Qualified) - QTRA (Qualified)	- Certificate IV Assessment and Workplace Training - Certificate in Horticultural Practices	
Jessica Andersen <i>Consulting Arborist – GIS / CAD Specialist</i>	- Diploma Arb. (AQF Level 5) - VALID (Qualified)	- Bachelor of Design (Landscape Architecture) - QAA Qualified Member	
Justin Darby <i>Consulting Arborist</i>	- Diploma Arb. (AQF Level 5) - Certificate III Arboriculture	Certificate II in ESI	

Contact Details

Phone	(07) 3399 5865
Enquiries	office@independentarb.com.au
Accounts	accounts@independentarb.com.au
Web	www.independentarb.com.au
Postal Address	PO Box 287, Morningside QLD 4170
ABN	65 062 099 495

Abbreviations

WDRC	Western Downs Regional Council	RPA	Root Protection Area
DA	Development Application	TMP	Tree Management Plan
VPO	Vegetation Protection Order	CMP	Construction Management Plan
ULE	Useful Life Expectancy	VMP	Vegetation Management Plan
BLF	Building Location Footprint	AS	Australian Standard
BLE	Building Location Envelope	AS 4373: 2007	Pruning of amenity trees
TPZ	Tree Protection Zone	AS 4970: 2009	Protection of trees on development sites
SRZ	Structural Root Zone	DBH	Diameter at Breast Height

All comments and recommendations in this report have been determined in accordance with Australian Standards AS 4373-2007 Pruning of amenity trees and AS 4970-2009 Protection of trees on development sites. All recommended tree work should be carried out in accordance with these standards.



Will Miller (AQF Level 5)
Consulting Arborist

Map




Figure 1: Subject Site (Nearmap® accessed 2024)

Introduction

This report is based on a visual inspection carried out from the ground on 22 April 2024. No soil or tissue sampling has been conducted. Tree assessment and Qualitative Visual Tree Analysis has been carried out in accordance with TRAQ ISA guidelines. Data and information provided to the client by others has been incorporated into this report as appropriate.

All Arboricultural recommendations contained in this report have been determined in accordance with Australian Standards AS 4373-2007 Pruning of amenity trees and AS 4970-2009 Protection of trees on development sites.

For the purposes of this report reference to a Consulting or Project Arborist is held to mean an Arboricultural specialist who holds minimum Arboricultural qualifications of Dip Arb/AQF 5, appropriate professional insurances and has appropriate experience in the protection of trees on construction sites. Where tree work is specified, all recommended tree work is to be carried out in accordance with the above-mentioned standards by an appropriately trained and AQF qualified arborist practitioner/s with an up-to-date record of training and membership of a recognised Australian Arboricultural association, e.g. Qld Arboricultural Association (QAA), Arboriculture Australia (AA), or a recognised international Arboricultural association. No climbing spikes are to be used if pruning is to be carried out on live trees except in the instance of an emergency.

Qualifications of the report authors include Diploma of Arboriculture/AQF Level 5 and ISA Certified Arborist accreditation. Report authors hold current insurances and memberships including qualified memberships of Queensland Arboricultural Association (QAA), and Arboriculture Australia (AA) as well as current accreditation and membership of International Society of Arboriculture (ISA).

Independent Arboricultural Services is a qualified registrant on the QAA Register of Consulting Arborists.

Arborist Comment

A review of the trees located at 74 Condamine Street, Dalby QLD 4405 was conducted by Will Miller (AQF Level 5) on 22 April 2024.

In summary,

- Basic visual tree health and risk assessments were conducted across the grounds.
- Trees were assessed and recommendations made (refer to the tree detail table).
- All tree works to be undertaken by a minimum AQF Level 3 Arborist. Tree companies to be members State based or National based Arboricultural Association.
- As tree service providers conduct tree work on the Subject site, any additional issues identified while undertaking the work (additional issues identified in the canopy, further instances of deadwood, decay and hangers) should be remediated as appropriate.
- All pruning to be undertaken in accordance with the Australian Standards AS 4373-2007- Pruning of amenity trees.
- A periodic inspection should occur by a staff member separate to the annual Arborist inspection and any issues such as deadwood, unattached branches in the tree (hangers) and dead or dying trees should be notified to a supervisor or maintenance staff and actions put in place to contain or remove the risk.
- An inspection of all the trees on the grounds should occur after every storm event by a nominated staff member.
- General guidelines for protection of trees are included in this document if any construction activities are planned within the Tree Protection Zone of retained vegetation.

Tree Risk Summary

The Tree Locations figure (provided herein) displays the trees according to their assessed risk, using the colours shown in the Tree Risk Summary table:

Type	Extreme	High	Medium	Low
Amount	0	7	51	321

Risk Matrix

Risk Rating

	Insignificant	Minor	Moderate	Major	Catastrophic
Consequences /Likelihood	No injuries*	First Aid Treatment*	Medical treatment*	Serious or extensive injuries*	Death or large number of serious injuries*
Almost Certain	Low	Medium	High	High	Extreme
Likely	Low	Medium	Medium	High	High
Possible	Low	Low	Medium	Medium	High
Unlikely	Low	Low	Low	Medium	Medium
Rare	Low	Low	Low	Low	Medium

Prioritising Risks - Table of Management Action

Risk Score	What should I do?
Extreme	Immediate action required
High	Action plan required, senior management attention needed
Medium	Specific monitoring or procedures required, management responsibility must be specified
Low	Manage through routine procedures. Unlikely to need specific application of resources

Risk Approach

Basic Assessment Process

- Identify potential risk
- Record observations including photographs
- Apply risk matrix score (see Risk Matrix above)
- Extreme and High-risk trees reported immediately
- Individual assessments to be carried out on high risk trees
- Recommendations are notated in Tree Detail Table
- Prioritize high occupancy areas/high value target area

Explanation of Terminology

Definition	Process Description
Removal	Complete tree removal leaving stump as close as possible to ground level. Recommended process will include chipping of all foliage limbs and timber and reinstatement of work site. Recommendation typically based on tree being assessed as representing a health and safety concern [Dead, dying, structurally unsound, unstable, poor form]
Remove and grind	Complete tree removal to include grinding of stump to a depth of 75 millimetres unless otherwise specified. Recommended process will include chipping of all foliage limbs and timber and reinstatement of work site. Stump site will be cleaned of all grinding debris and sawdust and backfilled with premium topsoil free from weeds.
Crown Clean (Deadwood)	Removal of all major/significant deadwood and dead branches up to [and including] 30 millimetres in diameter in trees overhanging pedestrian or vehicular areas or removal of dead branches > 50mm diameter in canopy of trees located in parkland or similar area unless otherwise specified.
Crown Clean (General pruning)	Recommended pruning process will include removal of broken, crossing, rubbing, diseased, stressed or dying branches or limbs with poor attachment. Additional work process may include pruning to define leaders, balance the crown, reduce weight load, or clear the tree from obstructions. In summary, to rectify, as far as is possible, any structural defects and eliminate undesirable growth or deadwood.
Crown Reduction (Canopy reduction)	Recommended pruning process may include light and general pruning typically to encompass removal of up to 15% but no more than 20% of the leaf-bearing crown. By definition the unique shape and form of the tree will not be altered or compromised by the pruning process. Typically, the consulting arborist will nominate the reduction percentage [%] appropriate to species, condition and assessment.
Crown Raising (Canopy lift)	Pruning processes maybe involve the raising of the tree's lower canopy to a height specified in metres. Typically, the process is performed to provide for pedestrian and or vehicular clearance and unless otherwise specified the default parameters will be to provide 2 metres clearance from ground level or as specified by local or state government regulation. From time to time pruning requirements may be altered to accommodate various site-specific requirements as advised by the consulting arborist accordingly.

Crown Restoration	Pruning process will encompass crown restoration and remedial works where the tree has been previously lopped or otherwise damaged. Not feasible when tree has extensive decay and should only be considered when there is evidence of healthy re- growth. When performed correctly the process of remedial pruning will most likely take several years to complete.
Hanger Limb / Unattached branch	Pruning process may be restricted to the removal of any hanger/s or dangerous/dead/dying limbs and will typically involve the removal of a single limb. In some instances, removal of an individual limb may be necessary to accommodate an obstruction and the consulting arborist will advise accordingly.
Directional Pruning	Pruning process will be restricted to pruning canopy away from buildings/service wires/property boundary and will typically be performed to avoid future growth in these areas. Where appropriate future growth will be directed away from obstruction by selected pruning so as to encourage the development of the growth of new leaders.
Habitat Pruning	When pruning deadwood from trees, simple techniques and methods can be employed to achieve hazard reduction whilst leaving food and habitat for tree dwelling fauna. Long pieces of deadwood can be reduced in length to limit potential hazard but still retain food for the insects and microorganisms. Stubs that have been left by old pruning or previous branch failure can be retained, and with the use of a hole-saw or chainsaw they may also be bored out to create a nesting hollow for native birds or small mammals. Source: Mosman Council
Deadwood	Dead branches within canopy of tree59F. Deadwood is a naturally occurring feature of most tree species and comprises dead or decaying branches within the canopy of a tree. Deadwood may have habitat value and require removal only according to the considered risk of its location, i.e. high use pedestrian area or damage to adjacent infrastructure.
Decay	The process of degradation of woody tissues by micro-organisms61F
Compaction	Results from loads or stress forces applied to the soil as well as shear forces. Both foot traffic and vehicle traffic exert both forces on soils. Vehicle traffic may cause significant compaction at depths of 150–200 mm (the area in which most absorbing roots are located). The degree of compaction will depend on weight of vehicles, number of movements, soil moisture levels and clay content. Soil handling, stockpiling and transporting also tend to lead to the breakdown of soil structure and thus to compaction. Vibration as a result of frequent traffic or adjacent construction activities will also compact soils55F
Codominant Structure:	Stems or trunks of about the same size originating from the same position from the main stem52F. When the stem bark ridge turns upward the union is strong; when the ridge turns inward the union is weak, a likely point of failure in storm or windy weather conditions or where increasing weight causes undue stress on the defective union53F

Source: AS4373-2003 Pruning of Amenity Trees & AS 4970-2009 Protection of Tree on Development Sites & Habitat
Creation By Kieran O'Neill, Mosman Council.

Tree Locations and Risk Rating



Please note: Tree locations are approximate only and not survey accurate. Colours designated to the trees correspond with the relevant risk ratings.

Tree Details

Tree ID	Botanical Name	Common Name	Health	Form	Risk Rating	Observations	Recommendations
1	<i>Eucalyptus sp.</i>	Gum	Fair	Typical	LOW	Deadwood under 50mm	Retain and Protect Undertake the removal of Deadwood in crown
2	<i>Olea europaea</i>	European Olive	Fair	Typical	LOW		Retain and Protect
3	<i>Platycladus orientalis</i>	Bookleaf pine	Poor	Typical	LOW		Remove and Replace
4	<i>Schinus terebinthifolius</i>	Broadleaved Pepper	Fair	Typical	LOW	Co-dominant Limbs, Weed species	Remove and Replace
5	<i>Schinus terebinthifolius</i>	Broadleaved Pepper	Poor	Typical	LOW	Deadwood, Weed species	Remove and Replace
6	<i>Eucalyptus sp.</i>	Gum	Fair	Typical	LOW	Deadwood under 50mm	Retain and Protect Undertake the removal of Deadwood in crown
7	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Typical	LOW	Deadwood under 50mm	Retain and Protect
8	<i>Corymbia citriodora subsp. variegata</i>	Lemon-scented Gum	Fair	Typical	LOW	Deadwood under 50mm	Retain and Protect Undertake the removal of Deadwood in crown
9	<i>Eucalyptus tereticornis</i>	Forest Red Gum	Fair	Typical	LOW		Retain and Protect
10	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Typical	LOW	Deadwood under 50mm	Retain and Protect
11	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Poor	Typical	MEDIUM	Deadwood over 50mm	Retain and Protect Undertake the removal of Deadwood in crown
12	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Good	Typical	LOW		Retain and Protect
13	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Good	Typical	LOW	Deadwood under 50mm	Retain and Protect
14	<i>Eucalyptus tereticornis</i>	Forest Red Gum	Fair	Typical	LOW		Retain and Protect
15	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Poor	LOW	Deadwood under 50mm, Suppressed	Retain and Protect Undertake the removal of Deadwood in crown
16	<i>Eucalyptus argophloia</i>	Chinchilla White Gum	Good	Typical	LOW		Retain and Protect
17	<i>Tipuana tipu</i>	Rosewood	Fair	Typical	LOW		Retain and Protect

Tree ID	Botanical Name	Common Name	Health	Form	Risk Rating	Observations	Recommendations
18	<i>Corymbia citriodora subsp. variegata</i>	Lemon-scented Gum	Fair	Typical	LOW		Retain and Protect
19	<i>Eucalyptus moluccana</i>	Gum Top Box	Fair	Poor	LOW		Retain and Protect
20	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Typical	LOW	Deadwood under 50mm	Retain and Protect Undertake the removal of Deadwood in crown
21	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Typical	MEDIUM	Deadwood over 50mm	Retain and Protect Undertake the removal of Deadwood in crown
22	<i>Eucalyptus sp.</i>	Gum	Fair	Poor	MEDIUM	Deadwood over 50mm, Head died out, Suppressed	Retain and Protect Undertake the removal of Deadwood in crown
23	<i>Eucalyptus salmonophloia</i>	Salmon Gum	Fair	Typical	LOW	Deadwood under 50mm	Retain and Protect
24	<i>Eucalyptus sp.</i>	Gum	Fair	Typical	LOW	Deadwood under 50mm	Retain and Protect
25	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Poor	LOW	Deadwood under 50mm	Retain and Protect
26	<i>Eucalyptus sp.</i>	Gum	Fair	Poor	LOW	Deadwood, Poor crown morphology, Previously Lopped, Suppressed	Remove and Replace
27	<i>Allocasuarina sp.</i>	She Oak	Poor	Poor	LOW	Deadwood over 50mm, Head died out	Remove and Replace
28	<i>Eucalyptus sp.</i>	Gum	Fair	Typical	LOW	Deadwood under 50mm	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
29	<i>Pterocarpus indicus</i>	Rosewood	Fair	Typical	LOW	Girdling Roots	Retain and Protect
30	<i>Eucalyptus moluccana</i>	Gum Top Box	Fair	Typical	LOW	Deadwood under 50mm, Wound	Retain and Protect – Undertake the removal of Deadwood in crown
31	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Typical	MEDIUM	Deadwood over 50mm	Retain and Protect – Undertake the removal of Deadwood in crown

Tree ID	Botanical Name	Common Name	Health	Form	Risk Rating	Observations	Recommendations
32	<i>Eucalyptus sp.</i>	Gum	Fair	Typical	MEDIUM	Compacted Soil, Deadwood over 50mm	Retain and Protect - Undertake the removal of Deadwood in crown - Mulch to the dripline to a maximum depth of 100mm with Aged Forest Mulch
33	<i>Schotia brachypetala</i>	Drunken parrot tree	Fair	Typical	LOW		Retain and Protect
34	<i>Eucalyptus moluccana</i>	Gum Top Box	Fair	Typical	LOW	Co-dominant Limbs, Compacted Soil	Retain and Protect Mulch to the dripline to a maximum depth of 100mm with Aged Forest Mulch
35	<i>Eucalyptus sp.</i>	Gum	Poor	Poor	MEDIUM	Cavity, Compacted Soil, Deadwood over 50mm, Wound	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
36	<i>Eucalyptus sp.</i>	Gum	Fair	Typical	MEDIUM	Deadwood	Retain and Protect Undertake the removal of Deadwood in crown
37	<i>Eucalyptus argophloia</i>	Chinchilla White Gum	Fair	Typical	LOW	Wound	Retain, Protect and Monitor the Tree Engage Climbing Arborist to undertake aerial inspection
38	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Typical	MEDIUM	Compacted Soil, Deadwood over 50mm	Retain and Protect Undertake the removal of Deadwood in crown
39	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Poor	MEDIUM	Deadwood over 50mm, One sided	Retain and Protect Undertake the removal of Deadwood in crown
40	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Typical	LOW	Deadwood under 50mm, Unattached Branches	Retain and Protect Undertake the removal of Deadwood in crown

Tree ID	Botanical Name	Common Name	Health	Form	Risk Rating	Observations	Recommendations
41	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Typical	LOW	Deadwood under 50mm, Unattached Branches	Retain and Protect Undertake the removal of Deadwood in crown
42	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Typical	LOW	Deadwood under 50mm, Vine growth	Retain and Protect Undertake the removal of Deadwood in crown
43	<i>Eucalyptus moluccana</i>	Gum Top Box	Fair	Typical	MEDIUM	Deadwood over 50mm	Retain and Protect Undertake the removal of Deadwood in crown
44	<i>Corymbia maculata</i>	Spotted Gum	Good	Typical	LOW		Retain and Protect
45	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Typical	LOW	Deadwood under 50mm	Retain and Protect
46	<i>Eucalyptus argophloia</i>	Chinchilla White Gum	Fair	Typical	LOW	Deadwood under 50mm	Retain and Protect
47	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Poor	LOW	Deadwood under 50mm, One sided	Retain, Protect and Monitor the Tree
48	<i>Brachychiton rupestris</i>	Queensland Bottle Tree	Fair	Typical	LOW		Retain and Protect
49	<i>Eucalyptus sp.</i>	Gum	Fair	Typical	LOW	Deadwood under 50mm	Retain and Protect
50	<i>Eucalyptus argophloia</i>	Chinchilla White Gum	Fair	Typical	LOW	Deadwood under 50mm	Retain and Protect
51	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Typical	LOW		Retain and Protect
52	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Good	Typical	LOW		Retain and Protect
53	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Typical	LOW	Deadwood under 50mm	Retain and Protect
54	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Good	Typical	LOW	Deadwood under 50mm	Retain and Protect
55	<i>Corymbia citriodora subsp. variegata</i>	Lemon-scented Gum	Fair	Typical	LOW	Deadwood under 50mm	Retain and Protect
56	<i>Eucalyptus argophloia</i>	Chinchilla White Gum	Fair	Typical	MEDIUM	Deadwood over 50mm	Retain and Protect Undertake the removal of Deadwood in crown
57	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Typical	MEDIUM	Broken Limbs, Co-dominant Limbs, Deadwood, Epicormic Growth, Unattached Branches, Wound	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
58	<i>Eucalyptus sp.</i>	Gum	Fair	Typical	LOW	Deadwood under 50mm	Retain and Protect

Tree ID	Botanical Name	Common Name	Health	Form	Risk Rating	Observations	Recommendations
59	<i>Phoenix canariensis</i>	Canary Island Date Palm	Fair	Typical	LOW	Dead fronds	Retain and Protect Undertake removal of dead Palm Fronds
60	<i>Pterocarpus indicus</i>	Rosewood	Poor	Typical	MEDIUM	Deadwood over 50mm, Head died out	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
61	<i>Schinus terebinthifolius</i>	Broadleaved Pepper	Fair	Typical	LOW		Retain and Protect
62	<i>Schinus terebinthifolius</i>	Broadleaved Pepper	Fair	Typical	LOW	Deadwood under 50mm, Weed species	Retain and Protect
63	<i>Celtis sinensis</i>	Chinese Elm	Poor	Typical	LOW	Deadwood over 50mm	Retain and Protect Undertake the removal of Deadwood in crown
64	<i>Eucalyptus sp.</i>	Gum	Fair	Typical	LOW	Deadwood under 50mm	Retain and Protect
65	<i>Pterocarpus indicus</i>	Rosewood	Fair	Typical	LOW		Retain and Protect
66	<i>Olea europaea</i>	European Olive	Fair	Typical	LOW	Bifurcated, Epicormic Growth	Retain and Protect
67	<i>Brachychiton rupestris</i>	Queensland Bottle Tree	Good	Typical	LOW		Retain and Protect
68	<i>Schotia brachypetala</i>	Drunken parrot tree	Fair	Poor	LOW	Epicormic Growth, One sided	Remove and Replace
69	<i>Araucaria bidwillii</i>	Bunya Bunya Pine	Fair	Typical	LOW		Retain and Protect
70	<i>Ficus sp.</i>	Fig	Fair	Typical	LOW		Retain and Protect
71	<i>Brachychiton australis</i>	Broad Leaved Bottletree	Fair	Typical	LOW	Deadwood under 50mm	Retain and Protect
72	<i>Citharexylum spinosum</i>	Fiddlewood	Fair	Typical	LOW	Deadwood, Epicormic Growth	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
73	<i>Melaleuca bracteata</i>	Black Tea-tree	Fair	Typical	LOW	Deadwood under 50mm	Retain and Protect
74	<i>Melaleuca bracteata</i>	Black Tea-tree	Fair	Typical	LOW	Bifurcated, Deadwood, Epicormic Growth, Previously Lopped, Wound	Retain, Protect and Monitor the Tree
75	<i>Syagrus romanzoffiana</i>	Queen Palm	Fair	Typical	LOW	Dead fronds, Weed species	Retain, Protect and Monitor the Tree Undertake removal of dead Palm Fronds

Tree ID	Botanical Name	Common Name	Health	Form	Risk Rating	Observations	Recommendations
76	<i>Syagrus romanzoffiana</i>	Queen Palm	Fair	Typical	LOW	Dead fronds, Weed species	Retain, Protect and Monitor the Tree Undertake removal of dead Palm Fronds
77	<i>Capparis sp</i>	Wild orange	Fair	Typical	LOW	Deadwood	Retain and Protect
78	<i>Pittosporum angustifolium</i>	Weeping Pittosporum	Fair	Typical	LOW		Retain, Protect and Monitor the Tree
79	<i>Schotia brachypetala</i>	Drunken parrot tree	Fair	Typical	LOW	Co-dominant Limbs, Deadwood	Retain and Protect
80	<i>Schotia brachypetala</i>	Drunken parrot tree	Fair	Typical	LOW	Co-dominant Limbs	Retain and Protect
81	<i>Phoenix canariensis</i>	Canary Island Date Palm	Good	Typical	LOW		Retain and Protect
82	<i>Corymbia torelliana</i>	Cadaghi	Poor	Poor	LOW		Remove and Replace
83	<i>Various spp.</i>	Group of Trees	Fair	Typical	LOW		Retain and Protect
84	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Typical	HIGH	Deadwood over 50mm	Retain and Protect Undertake the removal of Deadwood in crown
85	<i>Eucalyptus argophloia</i>	Chinchilla White Gum	Good	Typical	LOW		Retain and Protect
86	<i>Syagrus romanzoffiana</i>	Queen Palm	Fair	Typical	LOW	Dead fronds	Retain and Protect Undertake removal of dead Palm Fronds
87	<i>Syagrus romanzoffiana</i>	Queen Palm	Fair	Typical	LOW	Dead fronds	Retain and Protect Undertake removal of dead Palm Fronds
88	<i>Syagrus romanzoffiana</i>	Queen Palm	Fair	Typical	LOW	Dead fronds, Weed species	Retain and Protect Undertake removal of dead Palm Fronds
89	<i>Syagrus romanzoffiana</i>	Queen Palm	Fair	Typical	LOW	Dead fronds	Retain and Protect Undertake removal of dead Palm Fronds
90	<i>Eucalyptus sp.</i>	Gum	Fair	Typical	LOW	Deadwood under 50mm	Retain and Protect
91	<i>Eucalyptus moluccana</i>	Gum Top Box	Fair	Typical	LOW	Deadwood under 50mm	Retain and Protect Undertake the removal of Deadwood in crown
92	<i>Eucalyptus sp.</i>	Gum	Fair	Typical	LOW	Deadwood under 50mm	Retain and Protect

Tree ID	Botanical Name	Common Name	Health	Form	Risk Rating	Observations	Recommendations
93	<i>Eucalyptus camaldulensis</i>	River Red Gum	Fair	Typical	MEDIUM	Deadwood over 50mm	Retain and Protect Undertake the removal of Deadwood in crown
94	<i>Corymbia citriodora subsp. variegata</i>	Lemon-scented Gum	Fair	Typical	LOW		Retain and Protect
95	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Typical	LOW		Retain and Protect
96	<i>Eucalyptus sp.</i>	Gum	Fair	Typical	LOW	Deadwood	Retain and Protect Undertake the removal of Deadwood in crown
97	<i>Thevetia peruviana</i>	Captain Cook tree	Poor	Poor	LOW	Weed species	Remove and Replace
98	<i>Brachychiton rupestris</i>	Queensland Bottle Tree	Fair	Typical	LOW		Retain and Protect
99	<i>Eucalyptus argophloia</i>	Chinchilla White Gum	Fair	Typical	LOW	Deadwood	Retain and Protect Undertake the removal of Deadwood in crown
100	<i>Corymbia citriodora subsp. variegata</i>	Lemon-scented Gum	Fair	Typical	LOW		Retain and Protect
101	<i>Eucalyptus tereticornis</i>	Forest Red Gum	Fair	Poor	LOW		Retain, Protect and Monitor the Tree
102	<i>Eucalyptus sp.</i>	Gum	Fair	Typical	LOW	Deadwood	Retain and Protect Undertake the removal of Deadwood in crown
103	<i>Schotia brachypetala</i>	Drunken parrot tree	Fair	Typical	LOW		Retain and Protect
104	<i>Schotia brachypetala</i>	Drunken parrot tree	Fair	Typical	LOW		Retain and Protect
105	<i>Eucalyptus argophloia</i>	Chinchilla White Gum	Fair	Typical	LOW	Deadwood	Retain and Protect Undertake the removal of Deadwood in crown
106	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Typical	LOW	Bifurcated, Deadwood	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
107	<i>Eucalyptus tereticornis</i>	Forest Red Gum	Fair	Typical	LOW		Retain and Protect
108	<i>Corymbia citriodora subsp. variegata</i>	Lemon-scented Gum	Fair	Typical	LOW		Retain and Protect

Tree ID	Botanical Name	Common Name	Health	Form	Risk Rating	Observations	Recommendations
109	<i>Eucalyptus camaldulensis</i>	River Red Gum	Fair	Typical	LOW		Retain and Protect
110	<i>Corymbia citriodora subsp. variegata</i>	Lemon-scented Gum	Fair	Typical	LOW	Deadwood under 50mm	Retain and Protect
111	<i>Corymbia citriodora subsp. variegata</i>	Lemon-scented Gum	Fair	Typical	LOW		Retain and Protect
112	<i>Corymbia citriodora subsp. variegata</i>	Lemon-scented Gum	Fair	Typical	LOW		Retain and Protect
113	<i>Brachychiton rupestris</i>	Queensland Bottle Tree	Poor	Typical	LOW	Deadwood, Poor crown density	Retain and Protect Facilitate a Plant Health Care program
114	<i>Livistona australis</i>	Cabbage Fan-palm	Fair	Typical	MEDIUM	Dead fronds	Retain, Protect and Monitor the Tree Undertake removal of dead Palm Fronds
115	<i>Livistona australis</i>	Cabbage Fan-palm	Fair	Poor	LOW	Dead fronds	Retain and Protect Undertake removal of dead Palm Fronds
116	<i>Livistona australis</i>	Cabbage Fan-palm	Fair	Typical	LOW		Retain and Protect Undertake removal of dead Palm Fronds
117	<i>Livistona australis</i>	Cabbage Fan-palm	Fair	Typical	LOW	Dead fronds	Retain and Protect Undertake removal of dead Palm Fronds
118	<i>Phoenix dactylifera</i>	Date Palm	Fair	Typical	LOW	Dead fronds	Retain and Protect Undertake removal of dead Palm Fronds
119	<i>Syagrus romanzoffiana</i>	Queen Palm	Fair	Typical	MEDIUM	Cavity, Dead fronds, Weed species	Remove and Replace
120	<i>Jacaranda mimosifolia</i>	Jacaranda	Fair	Poor	LOW	Previously Lopped	Remove and Replace
121	<i>Acacia salicina</i>	Broughton Willow	Fair	Typical	LOW		Retain and Protect
122	<i>Jacaranda mimosifolia</i>	Jacaranda	Fair	Poor	LOW		Retain and Protect
123	<i>Corymbia torelliana</i>	Cadaghi	Fair	Typical	LOW	Deadwood under 50mm	Retain and Protect
124	<i>Phoenix canariensis</i>	Canary Island Date Palm	Fair	Typical	LOW		Retain and Protect

Tree ID	Botanical Name	Common Name	Health	Form	Risk Rating	Observations	Recommendations
125	<i>Phoenix canariensis</i>	Canary Island Date Palm	Fair	Typical	LOW		Retain and Protect
126	<i>Lagunaria patersonia</i>	Norfolk Island Hibiscus	Fair	Typical	LOW		Retain and Protect
127	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Poor	LOW		Retain and Protect
128	<i>Eucalyptus moluccana</i>	Gum Top Box	Fair	Typical	LOW	Deadwood	Retain, Protect and Monitor the Tree
129	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Typical	MEDIUM	Deadwood	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
130	<i>Eucalyptus moluccana</i>	Gum Top Box	Fair	Typical	LOW		Retain, Protect and Monitor the Tree
131	<i>Eucalyptus argophloia</i>	Chinchilla White Gum	Fair	Typical	LOW	Deadwood	Retain and Protect
132	<i>Casuarina cristata</i>	Belah	Fair	Typical	LOW	Deadwood	Retain, Protect and Monitor the Tree
133	<i>Eucalyptus tereticornis</i>	Forest Red Gum	Fair	Typical	LOW	Bifurcated	Retain, Protect and Monitor the Tree
134	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Poor	HIGH	Bifurcated, Broken Limbs, Deadwood, Wound	Retain, Protect and Monitor the Tree - Undertake the removal of Deadwood in crown - Engage Climbing Arborist to undertake aerial inspection
135	<i>Eucalyptus moluccana</i>	Gum Top Box	Fair	Typical	LOW	Bifurcated, Deadwood	Retain, Protect and Monitor the Tree
136	<i>Eucalyptus moluccana</i>	Gum Top Box	Fair	Typical	LOW	Deadwood	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
137	<i>Eucalyptus moluccana</i>	Gum Top Box	Fair	Typical	LOW		Retain and Protect
138	<i>Eucalyptus moluccana</i>	Gum Top Box	Fair	Typical	LOW	Bifurcated, Deadwood	Retain, Protect and Monitor the Tree
139	<i>Eucalyptus moluccana</i>	Gum Top Box	Fair	Typical	LOW	Bifurcated, Deadwood	Retain, Protect and Monitor the Tree
140	<i>Eucalyptus moluccana</i>	Gum Top Box	Fair	Typical	LOW	Deadwood	Retain and Protect
141	<i>Eucalyptus argophloia</i>	Chinchilla White Gum	Good	Typical	LOW	Deadwood under 50mm	Retain and Protect
142	<i>Brachychiton acerifolius</i>	Flame Tree	Fair	Typical	LOW	Previously Lopped, Wound	Retain and Protect
143	<i>Brachychiton acerifolius</i>	Flame Tree	Fair	Typical	LOW	Wound	Retain and Protect
144	<i>Brachychiton acerifolius</i>	Flame Tree	Fair	Typical	LOW	Wound	Retain and Protect
145	<i>Brachychiton rupestris</i>	Queensland Bottle Tree	Good	Typical	LOW		Retain and Protect
146	<i>Eucalyptus argophloia</i>	Chinchilla White Gum	Fair	Typical	LOW	Deadwood under 50mm	Retain and Protect

Tree ID	Botanical Name	Common Name	Health	Form	Risk Rating	Observations	Recommendations
147	<i>Corymbia torelliana</i>	Cadaghi	Fair	Typical	LOW		Retain and Protect
148	<i>Libidibia ferrea</i>	Leopard Tree	Fair	Poor	LOW	Reduced vigour	Retain and Protect
149	<i>Tipuana tipu</i>	Rosewood	Fair	Typical	LOW	Deadwood under 50mm	Retain and Protect
150	<i>Pleigynium timorense</i>	Burdekin Plum	Fair	Typical	LOW		Retain and Protect
151	<i>Casuarina cristata</i>	Belah	Fair	Typical	LOW	Deadwood under 50mm	Retain and Protect Undertake the removal of Deadwood in crown
152	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Poor	MEDIUM	Deadwood over 50mm, Epicormic Growth, Previously Lopped	Retain and Protect Undertake the removal of Deadwood in crown
153	<i>Eucalyptus camaldulensis</i>	River Red Gum	Fair	Typical	MEDIUM	Deadwood over 50mm	Retain and Protect Undertake the removal of Deadwood in crown
154	<i>Pleigynium timorense</i>	Burdekin Plum	Fair	Typical	LOW		Retain and Protect
155	<i>Corymbia torelliana</i>	Cadaghi	Fair	Typical	LOW	Weed species	Retain and Protect
156	<i>Corymbia torelliana</i>	Cadaghi	Fair	Typical	LOW	Weed species	Retain and Protect
157	<i>Eucalyptus camaldulensis</i>	River Red Gum	Fair	Typical	LOW	Bifurcated, Deadwood over 50mm	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
158	<i>Olea europaea</i>	European Olive	Fair	Typical	LOW	Co-dominant Limbs, Epicormic Growth, Wound	Retain, Protect and Monitor the Tree
159	<i>Lagunaria patersonia</i>	Norfolk Island Hibiscus	Fair	Typical	LOW	Co-dominant Limbs, Epicormic Growth	Retain, Protect and Monitor the Tree
160	<i>Phoenix dactylifera</i>	Date Palm	Fair	Typical	LOW		Retain and Protect
161	<i>Phoenix dactylifera</i>	Date Palm	Fair	Typical	LOW	Dead fronds	Retain and Protect Undertake removal of dead Palm Fronds
162	<i>Phoenix dactylifera</i>	Date Palm	Fair	Typical	LOW		Retain and Protect
163	<i>Phoenix dactylifera</i>	Date Palm	Fair	Typical	LOW	Dead fronds	Retain and Protect Undertake removal of dead Palm Fronds

Tree ID	Botanical Name	Common Name	Health	Form	Risk Rating	Observations	Recommendations
164	<i>Brachychiton australis</i>	Broad Leaved Bottletree	Fair	Poor	LOW	Epicormic Growth, Wound	Retain, Protect and Monitor the Tree
165	<i>Melaleuca bracteata</i>	Black Tea-tree	Fair	Typical	LOW	Deadwood, Unattached Branches	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
166	<i>Phoenix dactylifera</i>	Date Palm	Fair	Typical	LOW	Dead fronds	Retain and Protect Undertake removal of dead Palm Fronds
167	<i>Brachychiton rupestris</i>	Queensland Bottle Tree	Fair	Typical	MEDIUM	Deadwood over 50mm	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
168	<i>Lagunaria patersonia</i>	Norfolk Island Hibiscus	Fair	Typical	LOW	Deadwood over 50mm, Epicormic Growth, Wound	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
169	<i>Eucalyptus forrestiana</i>	Fuchsia Mallee	Poor	Poor	MEDIUM	Deadwood over 50mm, Pest Infestation	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
170	<i>Pinus halepensis</i>	Aleppo Pine	Fair	Typical	LOW	Deadwood, Wound	Retain, Protect and Monitor the Tree
171	<i>Eucalyptus camaldulensis</i>	River Red Gum	Fair	Typical	MEDIUM	Deadwood, Pest Infestation, Wound	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
172	<i>Cupaniopsis anacardioides</i>	Tuckeroo	Fair	Typical	LOW		Retain and Protect
173	<i>Cupaniopsis anacardioides</i>	Tuckeroo	Fair	Typical	LOW		Retain and Protect
174	<i>Brachychiton discolor</i>	Lacebark Tree	Fair	Typical	LOW		Retain and Protect
175	<i>Jacaranda mimosifolia</i>	Jacaranda	Fair	Typical	LOW	Wound	Retain, Protect and Monitor the Tree
176	<i>Brachychiton australis</i>	Broad Leaved Bottletree	Fair	Typical	LOW		Retain and Protect
177	<i>Eucalyptus leucoxylon</i>	MEDIUM Gum	Fair	Typical	LOW	Bifurcated, Deadwood, Wound	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
178	<i>Brachychiton discolor</i>	Lacebark Tree	Fair	Typical	LOW		Retain and Protect

Tree ID	Botanical Name	Common Name	Health	Form	Risk Rating	Observations	Recommendations
179	<i>Cupaniopsis anacardioides</i>	Tuckeroo	Fair	Typical	LOW	Pest Infestation	Retain and Protect
180	<i>Brachychiton acerifolius</i>	Flame Tree	Fair	Typical	LOW		Retain and Protect
181	<i>Araucaria bidwillii</i>	Bunya Bunya Pine	Dead	Dead	MEDIUM		Remove and Replace
182	<i>Araucaria cunninghamii</i> var. <i>cunninghamii</i>	Hoop Pine	Fair	Typical	LOW		Retain and Protect
183	<i>Pleiogynium timorense</i>	Burdekin Plum	Fair	Typical	LOW	Deadwood	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
184	<i>Eucalyptus camaldulensis</i>	River Red Gum	Fair	Typical	MEDIUM	Deadwood, Unattached Branches, Wound	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
185	<i>Livistona benthamii</i>	Fan Palm	Fair	Typical	LOW	Dead fronds	Retain, Protect and Monitor the Tree Undertake removal of dead Palm Fronds
186	<i>Eucalyptus argophloia</i>	Chinchilla White Gum	Fair	Typical	MEDIUM	Deadwood, Unattached Branches	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
187	<i>Brachychiton australis</i>	Broad Leaved Bottletree	Fair	Typical	LOW		Retain and Protect
188	<i>Schotia brachypetala</i>	Drunken parrot tree	Fair	Typical	LOW	Broken Limbs, Co-dominant Limbs, Deadwood, Wound	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
189	<i>Brachychiton acerifolius</i>	Flame Tree	Fair	Typical	LOW		Retain and Protect
190	<i>Corymbia torelliana</i>	Cadaghi	Fair	Typical	LOW	Deadwood under 50mm, Weed species	Retain and Protect
191	<i>Eucalyptus grandis</i>	Flooded Gum	Fair	Typical	LOW	Broken Limbs, Deadwood under 50mm	Retain and Protect
192	<i>Brachychiton acerifolius</i>	Flame Tree	Poor	Typical	LOW		Retain and Protect
193	<i>Araucaria heterophylla</i>	Norfolk Island Pine	Fair	Typical	LOW		Retain and Protect
194	<i>Jacaranda mimosifolia</i>	Jacaranda	Fair	Typical	LOW	Broken Limbs, Co-dominant Limbs, Deadwood under 50mm, Wound	Retain, Protect and Monitor the Tree

Tree ID	Botanical Name	Common Name	Health	Form	Risk Rating	Observations	Recommendations
195	<i>Casuarina cunninghamiana</i>	River She-oak	Fair	Typical	HIGH	Broken Limbs, Co-dominant Limbs, Deadwood over 50mm	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
196	<i>Ficus microcarpa</i> var. <i>hillii</i>	Hill's Weeping Fig	Good	Typical	LOW		Retain and Protect
197	<i>Livistona australis</i>	Cabbage Fan-palm	Fair	Typical	LOW		Retain and Protect
198	<i>Livistona australis</i>	Cabbage Fan-palm	Fair	Typical	LOW	Dead fronds	Retain and Protect
199	<i>Livistona australis</i>	Cabbage Fan-palm	Fair	Typical	LOW	Dead fronds	Retain and Protect
200	<i>Pinus halepensis</i>	Aleppo Pine	Fair	Typical	LOW	Broken Limbs, Deadwood	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
201	<i>Pinus halepensis</i>	Aleppo Pine	Fair	Typical	LOW	Deadwood under 50mm	Retain and Protect
202	<i>Livistona australis</i>	Cabbage-tree Palm	Fair	Typical	LOW	Dead fronds	Retain and Protect Undertake removal of dead Palm Fronds
203	<i>Livistona australis</i>	Cabbage-tree Palm	Fair	Typical	LOW	Dead fronds	Retain and Protect Undertake removal of dead Palm Fronds
204	<i>Livistona australis</i>	Cabbage-tree Palm	Fair	Typical	LOW		Retain and Protect
205	<i>Melaleuca viminalis</i>	Weeping Bottle Brush	Fair	Typical	LOW		Retain and Protect
206	<i>Pinus halepensis</i>	Aleppo Pine	Fair	Typical	MEDIUM	Deadwood	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
207	<i>Lagunaria patersonia</i>	Norfolk Island Hibiscus	Fair	Typical	LOW		Retain and Protect
208	<i>Pinus halepensis</i>	Aleppo Pine	Fair	Poor	LOW	Deadwood	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
209	<i>Eucalyptus moluccana</i>	Gum Top Box	Fair	Typical	LOW	Broken Limbs, Deadwood	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown

Tree ID	Botanical Name	Common Name	Health	Form	Risk Rating	Observations	Recommendations
210	<i>Pinus halepensis</i>	Aleppo Pine	Fair	Typical	MEDIUM	Broken Limbs, Co-dominant Limbs, Deadwood, Wound	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
211	<i>Schotia brachypetala</i>	Drunken parrot tree	Fair	Typical	LOW	Deadwood	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
212	<i>Corymbia torelliana</i>	Cadaghi	Fair	Typical	LOW	Deadwood, Weed species	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
213	<i>Lagunaria patersonia</i>	Norfolk Island Hibiscus	Fair	Typical	LOW	Deadwood, Epicormic Growth, Wound	Retain, Protect and Monitor the Tree
214	<i>Pinus halepensis</i>	Aleppo Pine	Fair	Typical	MEDIUM	Broken Limbs, Co-dominant Limbs, Deadwood, Included bark, Wound	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
215	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Typical	MEDIUM	Deadwood, Pest Infestation	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
216	<i>Eucalyptus salmonophloia</i>	Salmon Gum	Fair	Typical	MEDIUM	Co-dominant Limbs, Deadwood over 50mm, Wound	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
217	<i>Lagunaria patersonia</i>	Norfolk Island Hibiscus	Fair	Typical	LOW	Broken Limbs, Cavity, Co-dominant Limbs, Habitat Features, Wound	Retain, Protect and Monitor the Tree
218	<i>Various spp.</i>	Group of Trees	Fair	Typical	LOW		Retain and Protect
219	<i>Brachychiton rupestris</i>	Queensland Bottle Tree	Fair	Typical	LOW	Broken Limbs, Co-dominant Limbs, Deadwood, Epicormic Growth	Retain, Protect and Monitor the Tree
220	<i>Cupaniopsis anacardioides</i>	Tuckeroo	Fair	Typical	LOW		Retain and Protect
221	<i>Platycladus orientalis</i>	Bookleaf pine	Fair	Typical	LOW		Retain and Protect
222	<i>Bougainvillea sp.</i>	Bougainvillea	Fair	Typical	LOW		Retain and Protect
223	<i>Schotia brachypetala</i>	Drunken parrot tree	Fair	Typical	LOW		Retain and Protect

Tree ID	Botanical Name	Common Name	Health	Form	Risk Rating	Observations	Recommendations
224	<i>Olea europaea</i>	European Olive	Fair	Typical	LOW	Bifurcated	Retain and Protect
225	<i>Fraxinus sp.</i>	Ash	Fair	Typical	LOW	Broken Limbs, Deadwood	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
226	<i>Pinus halepensis</i>	Aleppo Pine	Fair	Typical	LOW	Deadwood	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
227	<i>Schotia brachypetala</i>	Drunken parrot tree	Fair	Typical	LOW	Broken Limbs, Co-dominant Limbs, Deadwood, Included bark	Retain, Protect and Monitor the Tree
228	<i>Duranta erecta</i>	Blue Sky Flower	Fair	Typical	LOW	Co-dominant Limbs, Weed species	Retain and Protect
229	<i>Libidibia ferrea</i>	Leopard Tree	Fair	Typical	LOW	Deadwood	Retain, Protect and Monitor the Tree
230	<i>Pleigynium timorens</i>	Burdekin Plum	Fair	Typical	LOW	Broken Limbs, Deadwood	Retain, Protect and Monitor the Tree
231	<i>Brachychiton rupestris</i>	Queensland Bottle Tree	Good	Typical	LOW		Retain and Protect
232	<i>Eucalyptus camaldulensis</i>	River Red Gum	Fair	Typical	LOW	Deadwood	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
233	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Typical	LOW	Co-dominant Limbs, Deadwood under 50mm	Retain and Protect
234	<i>Eucalyptus salmonophloia</i>	Salmon Gum	Fair	Typical	LOW	Deadwood, Pest Infestation	Retain, Protect and Monitor the Tree
235	<i>Pinus halepensis</i>	Aleppo Pine	Fair	Poor	LOW	Deadwood under 50mm	Retain and Protect
236	<i>Casuarina cristata</i>	Belah	Fair	Typical	HIGH	Deadwood, Deadwood over 50mm, Unattached Branches	Retain and Protect Undertake the removal of Deadwood in crown
237	<i>Various spp.</i>	Group of Trees	Fair	Typical	LOW		Retain and Protect
238	<i>Casuarina cristata</i>	Belah	Fair	Poor	MEDIUM	Broken Limbs, Deadwood, Wound	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
239	<i>Schotia brachypetala</i>	Drunken parrot tree	Fair	Typical	LOW		Retain and Protect
240	<i>Casuarina cristata</i>	Belah	Fair	Poor	LOW		Retain, Protect and Monitor the Tree
241	<i>Casuarina cristata</i>	Belah	Fair	Poor	LOW	Deadwood	Retain, Protect and Monitor the Tree

Tree ID	Botanical Name	Common Name	Health	Form	Risk Rating	Observations	Recommendations
242	<i>Olea europaea</i>	European Olive	Fair	Poor	LOW	Bifurcated, Epicormic Growth	Retain, Protect and Monitor the Tree
243	<i>Geijera parviflora</i>	Wilga	Fair	Typical	LOW		Retain and Protect
244	<i>Grevillea robusta</i>	Silky Oak	Fair	Typical	MEDIUM	Deadwood	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
245	<i>Olea europaea</i>	European Olive	Fair	Poor	LOW	Bifurcated, Broken Limbs, Deadwood, Previously Lopped, Wound	Retain, Protect and Monitor the Tree
246	<i>Lagunaria patersonia</i>	Norfolk Island Hibiscus	Fair	Typical	LOW	Broken Limbs, Co-dominant Limbs, Deadwood, Epicormic Growth, Wound	Retain, Protect and Monitor the Tree
247	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Typical	MEDIUM	Co-dominant Limbs, Deadwood, Included bark, Wound	Retain, Protect and Monitor the Tree - Undertake the removal of Deadwood in crown - Engage Climbing Arborist to undertake aerial inspection
248	<i>Olea europaea</i>	European Olive	Fair	Typical	LOW	Bifurcated, Epicormic Growth, Wound	Retain, Protect and Monitor the Tree
249	<i>Olea europaea</i>	European Olive	Fair	Poor	LOW	Bifurcated, Broken Limbs, Deadwood	Retain, Protect and Monitor the Tree
250	<i>Eucalyptus argophloia</i>	Chinchilla White Gum	Fair	Typical	LOW		Retain and Protect
251	<i>Schotia brachypetala</i>	Drunken parrot tree	Fair	Typical	LOW	Deadwood	Retain, Protect and Monitor the Tree
252	<i>Various spp.</i>	Group of Trees	Fair	Typical	LOW		Retain, Protect and Monitor the Tree
253	<i>Geijera parviflora</i>	Wilga	Fair	Typical	MEDIUM	Deadwood	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
254	<i>Eucalyptus argophloia</i>	Chinchilla White Gum	Fair	Typical	LOW	Broken Limbs, Deadwood	Retain, Protect and Monitor the Tree
255	<i>Pinus halepensis</i>	Aleppo Pine	Fair	Typical	MEDIUM	Broken Limbs, Deadwood, Kino flow, Wound	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown

Tree ID	Botanical Name	Common Name	Health	Form	Risk Rating	Observations	Recommendations
256	<i>Schotia brachypetala</i>	Drunken parrot tree	Fair	Typical	LOW		Retain and Protect
257	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Typical	MEDIUM	Broken Limbs, Co-dominant Limbs, Deadwood	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
258	<i>Olea europaea</i>	European Olive	Fair	Typical	LOW		Retain and Protect
259	<i>Casuarina cristata</i>	Belah	Fair	Typical	MEDIUM	Broken Limbs, Co-dominant Limbs, Deadwood, Wound	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
260	<i>Lagunaria patersonia</i>	Norfolk Island Hibiscus	Fair	Typical	LOW		Retain and Protect
261	<i>Schotia brachypetala</i>	Drunken parrot tree	Fair	Typical	LOW	Co-dominant Limbs	Retain and Protect
262	<i>Geijera parviflora</i>	Wilga	Fair	Typical	LOW		Retain and Protect
263	<i>Schotia brachypetala</i>	Drunken parrot tree	Fair	Poor	LOW		Retain and Protect
264	<i>Geijera parviflora</i>	Wilga	Fair	Typical	LOW	Deadwood	Retain and Protect
265	<i>Various spp.</i>	Group of Trees	Fair	Typical	LOW		Retain and Protect
266	<i>Pinus halepensis</i>	Aleppo Pine	Fair	Typical	MEDIUM	Deadwood, Wound	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
267	<i>Eucalyptus camaldulensis</i>	River Red Gum	Fair	Typical	MEDIUM	Deadwood	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
268	<i>Livistona australis</i>	Cabbage-tree Palm	Fair	Typical	LOW	Dead fronds	Retain, Protect and Monitor the Tree Undertake removal of dead Palm Fronds
269	<i>Livistona australis</i>	Cabbage-tree Palm	Fair	Typical	LOW	Dead fronds	Retain, Protect and Monitor the Tree Undertake removal of dead Palm Fronds
270	<i>Livistona australis</i>	Cabbage-tree Palm	Fair	Typical	LOW	Dead fronds	Retain, Protect and Monitor the Tree Undertake removal of dead Palm Fronds
271	<i>Livistona australis</i>	Cabbage-tree Palm	Fair	Typical	LOW	Dead fronds	Retain, Protect and Monitor the Tree

Tree ID	Botanical Name	Common Name	Health	Form	Risk Rating	Observations	Recommendations
							Undertake removal of dead Palm Fronds
272	<i>Livistona australis</i>	Cabbage-tree Palm	Fair	Typical	LOW	Dead fronds	Retain, Protect and Monitor the Tree Undertake removal of dead Palm Fronds
273	<i>Livistona australis</i>	Cabbage-tree Palm	Fair	Typical	LOW	Dead fronds	Retain, Protect and Monitor the Tree Undertake removal of dead Palm Fronds
274	<i>Livistona australis</i>	Cabbage-tree Palm	Fair	Typical	LOW	Dead fronds	Retain, Protect and Monitor the Tree Undertake removal of dead Palm Fronds
275	<i>Livistona australis</i>	Cabbage-tree Palm	Fair	Typical	LOW	Dead fronds	Retain, Protect and Monitor the Tree Undertake removal of dead Palm Fronds
276	<i>Schinus terebinthifolius</i>	Broadleaved Pepper	Fair	Typical	LOW	Weed species	Remove and Replace
277	<i>Schinus terebinthifolius</i>	Broadleaved Pepper	Fair	Typical	LOW	Weed species	Remove and Replace
278	<i>Schinus terebinthifolius</i>	Broadleaved Pepper	Poor	Poor	LOW	Weed species, Wound	Remove and Replace
279	<i>Phoenix dactylifera</i>	Date Palm	Fair	Typical	LOW		Retain and Protect
280	<i>Eucalyptus camaldulensis</i>	River Red Gum	Fair	Poor	MEDIUM	Deadwood over 50mm, Wound	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
281	<i>Casuarina cristata</i>	Belah	Fair	Typical	HIGH	Broken Limbs, Co-dominant Limbs, Deadwood over 50mm, Wound	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
282	<i>Casuarina cristata</i>	Belah	Fair	Typical	HIGH	Broken Limbs, Deadwood, Previously Lopped, Wound	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
283	<i>Casuarina cristata</i>	Belah	Fair	Typical	MEDIUM	Broken Limbs, Deadwood, Wound	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown

Tree ID	Botanical Name	Common Name	Health	Form	Risk Rating	Observations	Recommendations
284	<i>Eucalyptus moluccana</i>	Gum Top Box	Fair	Typical	LOW	Deadwood, Unattached Branches	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
285	<i>Various spp.</i>	Group of Trees	Fair	Typical	LOW		Retain and Protect
286	<i>Various spp.</i>	Group of Trees	Fair	Typical	LOW		Retain and Protect
287	<i>Brachychiton acerifolius</i>	Flame Tree	Fair	Poor	MEDIUM	Broken Limbs, Deadwood, Wound	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
288	<i>Platycladus orientalis</i>	Bookleaf pine	Fair	Typical	LOW	Epicormic Growth	Retain and Protect
289	<i>Hibiscus syriacus</i>	Hibiscus	Fair	Typical	LOW		Retain and Protect
290	<i>Schotia brachypetala</i>	Drunken parrot tree	Fair	Typical	LOW	Co-dominant Limbs, Deadwood	Retain, Protect and Monitor the Tree
291	<i>Beaucarnea recurvata</i>	Ponytail palm	Fair	Typical	LOW		Retain and Protect
292	<i>Various spp.</i>	Group of Trees	Fair	Typical	LOW		Retain and Protect
293	<i>Olea europaea</i>	European Olive	Fair	Typical	LOW	Deadwood under 50mm	Retain and Protect
294	<i>Lagunaria patersonia</i>	Norfolk Island Hibiscus	Fair	Typical	LOW	Broken Limbs, Co-dominant Limbs, Epicormic Growth	Retain and Protect
295	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Typical	HIGH	Broken Limbs, Deadwood, Epicormic Growth, Wound	Retain, Protect and Monitor the Tree - Undertake the removal of Deadwood in crown - Engage Climbing Arborist to undertake aerial inspection
296	<i>Araucaria heterophylla</i>	Norfolk Island Pine	Fair	Typical	LOW		Retain and Protect
297	<i>Various spp.</i>	Group of Trees	Fair	Typical	LOW		Retain and Protect
298	<i>Eucalyptus sp.</i>	Gum	Fair	Poor	MEDIUM	Broken Limbs, Deadwood over 50mm	Retain and Protect Undertake the removal of Deadwood in crown
299	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Typical	MEDIUM	Deadwood, Pest Infestation	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown

Tree ID	Botanical Name	Common Name	Health	Form	Risk Rating	Observations	Recommendations
300	<i>Eucalyptus sp.</i>	Gum	Fair	Typical	LOW	Deadwood	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
301	<i>Lagunaria patersonia</i>	Norfolk Island Hibiscus	Fair	Typical	LOW	Deadwood	Retain and Protect
302	<i>Eucalyptus sp.</i>	Gum	Fair	Typical	MEDIUM	Bifurcated, Deadwood	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
303	<i>Lagunaria patersonia</i>	Norfolk Island Hibiscus	Fair	Typical	LOW	Co-dominant Limbs, Epicormic Growth	Retain and Protect
304	<i>Lagunaria patersonia</i>	Norfolk Island Hibiscus	Fair	Typical	LOW		Retain and Protect
305	<i>Lagunaria patersonia</i>	Norfolk Island Hibiscus	Fair	Typical	LOW	Broken Limbs, Co-dominant Limbs, Deadwood, Epicormic Growth	Retain, Protect and Monitor the Tree
306	<i>Lagunaria patersonia</i>	Norfolk Island Hibiscus	Fair	Typical	LOW	Co-dominant Limbs, Deadwood, Epicormic Growth	Retain and Protect
307	<i>Livistona australis</i>	Cabbage-tree Palm	Fair	Typical	LOW	Dead fronds	Retain, Protect and Monitor the Tree Undertake removal of dead Palm Fronds
308	<i>Various spp.</i>	Group of Trees	Fair	Typical	LOW		Retain and Protect
309	<i>Various spp.</i>	Group of Trees	Fair	Typical	LOW		Retain and Protect
310	<i>Citharexylum spinosum</i>	Fiddlewood	Fair	Typical	LOW	Deadwood	Retain and Protect
311	<i>Citharexylum spinosum</i>	Fiddlewood	Fair	Typical	LOW	Co-dominant Limbs, Wound	Retain, Protect and Monitor the Tree
312	<i>Citharexylum spinosum</i>	Fiddlewood	Fair	Typical	LOW	Deadwood	Retain and Protect
313	<i>Eucalyptus argophloia</i>	Chinchilla White Gum	Fair	Typical	MEDIUM	Broken Limbs, Co-dominant Limbs, Deadwood	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
314	<i>Eucalyptus argophloia</i>	Chinchilla White Gum	Fair	Typical	MEDIUM	Deadwood	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
315	<i>Tipuana tipu</i>	Rosewood	Fair	Typical	LOW	Deadwood	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown

Tree ID	Botanical Name	Common Name	Health	Form	Risk Rating	Observations	Recommendations
316	<i>Eucalyptus sp.</i>	Gum	Fair	Typical	LOW	Deadwood, Wound	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
317	<i>Tipuana tipu</i>	Rosewood	Fair	Typical	LOW	Deadwood	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
318	<i>Eucalyptus moluccana</i>	Gum Top Box	Fair	Typical	LOW		Retain and Protect
319	<i>Citharexylum spinosum</i>	Fiddlewood	Fair	Typical	LOW		Retain and Protect
320	<i>Citharexylum spinosum</i>	Fiddlewood	Fair	Typical	LOW		Retain and Protect
321	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Typical	MEDIUM	Broken Limbs, Deadwood	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
322	<i>Eucalyptus sp.</i>	Gum	Fair	Typical	LOW	Epicormic Growth	Retain and Protect Undertake a crown lift
323	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Typical	MEDIUM	Broken Limbs, Co-dominant Limbs, Deadwood, Epicormic Growth, Wound	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
324	<i>Eucalyptus sideroxylon</i>	Red Ironbark	Fair	Typical	MEDIUM	Broken Limbs, Deadwood, Wound	Retain and Protect
325	<i>Heptapleurum actinophyllum</i>	Umbrella Tree	Fair	Typical	LOW	Weed species	Remove and Replace
326	<i>Citharexylum spinosum</i>	Fiddlewood	Fair	Typical	LOW		Retain and Protect
327	<i>Podocarpus elatus</i>	Illawarra Pine	Fair	Typical	LOW		Retain and Protect
328	<i>Citharexylum spinosum</i>	Fiddlewood	Fair	Typical	LOW		Retain and Protect
329	<i>Corymbia tessellaris</i>	Carbeen	Fair	Typical	LOW		Retain and Protect
330	<i>Pinus halepensis</i>	Aleppo Pine	Fair	Typical	LOW	Deadwood	Retain, Protect and Monitor the Tree Undertake the removal of Deadwood in crown
331	<i>Schotia brachypetala</i>	Drunken parrot tree	Fair	Typical	LOW	Wound	Retain and Protect Undertake a crown lift
332	<i>Schotia brachypetala</i>	Drunken parrot tree	Fair	Typical	LOW		Retain and Protect Undertake a crown lift

Tree ID	Botanical Name	Common Name	Health	Form	Risk Rating	Observations	Recommendations
333	<i>Schotia brachypetala</i>	Drunken parrot tree	Fair	Typical	LOW	Wound	Retain and Protect Undertake a crown lift
334	<i>Schotia brachypetala</i>	Drunken parrot tree	Fair	Typical	LOW	Deadwood under 50mm	Retain and Protect
335	<i>Schotia brachypetala</i>	Drunken parrot tree	Fair	Typical	LOW		Retain and Protect
336	<i>Schotia brachypetala</i>	Drunken parrot tree	Fair	Typical	LOW		Retain and Protect
337	<i>Schotia brachypetala</i>	Drunken parrot tree	Fair	Typical	LOW	Previously Lopped	Retain and Protect
338	<i>Schotia brachypetala</i>	Drunken parrot tree	Fair	Typical	LOW	Previously Lopped	Retain and Protect
339	<i>Schotia brachypetala</i>	Drunken parrot tree	Fair	Typical	LOW	Previously Lopped	Retain and Protect
340	<i>Schotia brachypetala</i>	Drunken parrot tree	Fair	Poor	LOW	Poor crown morphology, Previously Lopped	Retain and Protect
341	<i>Schotia brachypetala</i>	Drunken parrot tree	Fair	Poor	LOW	Previously Lopped	Retain and Protect Mulch to the dripline to a maximum depth of 100mm with Aged Forest Mulch
342	<i>Schotia brachypetala</i>	Drunken parrot tree	Fair	Poor	LOW	Previously Lopped	Retain and Protect
343	<i>Schotia brachypetala</i>	Drunken parrot tree	Fair	Poor	LOW	Previously Lopped	Retain and Protect
344	<i>Lagerstroemia indica</i>	Crepe Myrtle	Poor	Typical	LOW		Retain, Protect and Monitor the Tree
345	<i>Lagerstroemia indica</i>	Crepe Myrtle	Poor	Typical	LOW		Retain, Protect and Monitor the Tree
346	<i>Lagerstroemia indica</i>	Crepe Myrtle	Poor	Typical	LOW		Retain, Protect and Monitor the Tree
347	<i>Lagerstroemia indica</i>	Crepe Myrtle	Poor	Typical	LOW		Retain, Protect and Monitor the Tree
348	<i>Lagerstroemia indica</i>	Crepe Myrtle	Poor	Typical	LOW		Retain, Protect and Monitor the Tree
349	<i>Lagerstroemia indica</i>	Crepe Myrtle	Poor	Typical	LOW		Retain, Protect and Monitor the Tree
350	<i>Lagerstroemia indica</i>	Crepe Myrtle	Poor	Typical	LOW		Retain, Protect and Monitor the Tree
351	<i>Lagerstroemia indica</i>	Crepe Myrtle	Poor	Typical	LOW		Retain, Protect and Monitor the Tree
352	<i>Lagerstroemia indica</i>	Crepe Myrtle	Poor	Typical	LOW		Retain, Protect and Monitor the Tree
353	<i>Lagerstroemia indica</i>	Crepe Myrtle	Good	Typical	LOW		Retain and Protect
354	<i>Lagerstroemia indica</i>	Crepe Myrtle	Fair	Typical	LOW		Retain and Protect
355	<i>Lagerstroemia indica</i>	Crepe Myrtle	Fair	Typical	LOW		Retain, Protect and Monitor the Tree
356	<i>Lagerstroemia indica</i>	Crepe Myrtle	Fair	Typical	LOW		Retain and Protect

Tree ID	Botanical Name	Common Name	Health	Form	Risk Rating	Observations	Recommendations
357	<i>Grevillea robusta</i>	Silky Oak	Poor	Poor	LOW	Previously Lopped, Species not suitable for location	Remove and Replace
358	<i>Lagerstroemia indica</i>	Crepe Myrtle	Good	Typical	LOW		Retain and Protect
359	<i>Lagerstroemia indica</i>	Crepe Myrtle	Fair	Poor	LOW	Previously Lopped	Retain, Protect and Monitor the Tree
360	<i>Lagerstroemia indica</i>	Crepe Myrtle	Fair	Typical	LOW		Retain and Protect
361	<i>Lagerstroemia indica</i>	Crepe Myrtle	Fair	Typical	LOW		Retain and Protect
362	<i>Grevillea robusta</i>	Silky Oak	Fair	Poor	LOW	Poor crown morphology, Previously Lopped	Remove and Replace
363	<i>Grevillea robusta</i>	Silky Oak	Fair	Poor	LOW	Poor crown morphology, Previously Lopped	Remove and Replace
364	<i>Lagerstroemia indica</i>	Crepe Myrtle	Fair	Typical	LOW		Retain and Protect
365	<i>Lagerstroemia indica</i>	Crepe Myrtle	Fair	Typical	LOW	Previously Lopped	Retain and Protect
366	<i>Lagerstroemia indica</i>	Crepe Myrtle	Fair	Typical	LOW		Retain and Protect
367	<i>Lagerstroemia indica</i>	Crepe Myrtle	Fair	Typical	LOW		Retain and Protect
368	<i>Lagerstroemia indica</i>	Crepe Myrtle	Fair	Typical	LOW		Retain and Protect
369	<i>Lagerstroemia indica</i>	Crepe Myrtle	Fair	Typical	LOW		Retain and Protect
370	<i>Lagerstroemia indica</i>	Crepe Myrtle	Fair	Typical	LOW		Retain and Protect
371	<i>Lagerstroemia indica</i>	Crepe Myrtle	Fair	Typical	LOW		Retain and Protect
372	<i>Melaleuca viminalis</i>	Weeping Bottle Brush	Fair	Typical	LOW		Retain and Protect
373	<i>Lagerstroemia indica</i>	Crepe Myrtle	Fair	Typical	LOW		Retain and Protect
374	<i>Grevillea robusta</i>	Silky Oak	Fair	Poor	LOW	Poor crown morphology, Previously Lopped	Remove and Replace
375	<i>Grevillea robusta</i>	Silky Oak	Fair	Poor	LOW	Poor crown morphology, Previously Lopped	Remove and Replace
376	<i>Grevillea robusta</i>	Silky Oak	Fair	Poor	LOW	Broken Limbs, Co-dominant Limbs, Deadwood, Previously Lopped, Wound	Retain, Protect and Monitor the Tree
377	<i>Brachychiton acerifolius</i>	Flame Tree	Fair	Typical	LOW		Retain and Protect
378	<i>Brachychiton acerifolius</i>	Flame Tree	Fair	Typical	LOW		Retain and Protect
379	<i>Brachychiton rupestris</i>	Queensland Bottle Tree	Fair	Typical	MEDIUM	Deadwood over 50mm	Retain and Protect

Tree ID	Botanical Name	Common Name	Health	Form	Risk Rating	Observations	Recommendations
							Undertake the removal of Deadwood in crown

Table Legend:			
Health	Form	Aged Class	Further Detail
Good: Trees foliage is in exceptional condition and can be considered an excellent specimen of its species. No pests or diseases are present.	Good: Trees structure is exceptional and can be considered an excellent specimen of its species. No visible defects are present.	Juvenile: Tree will generally grow rapidly in this phase of its life cycle.	Diameter at Breast Height (DBH) measured at 1.4m above ground level. Diameter at Root Flare (DRF) measured at the base of the tree, at the trunk / root system transition zone. Diameter = circumference divided by π
Fair: Trees foliar condition is satisfactory but may be exhibiting some signs of stress such as tip dieback or chlorosis, pests or diseases may be present but not adversely affecting the tree.	Typical: Trees structure is normal for the species; some minor structural constraints may be present.	Mature: Tree has reached maturity and is producing flowers, fruits and seeds. Tree continues to grow.	Tree Protection Zone (TPZ) defined as metres radius. Calculated being $DBH \times 12$ (minimum 2.0m and no greater than 15m).
Poor: Foliage density is sparse or largely discoloured, tree health is at or approaching a critical value which may be irreversible, pests or diseases are highly prevalent throughout the crown.	Poor: Structure is a poor example of its species and exhibits a combination of structural issues.	Full to Late Maturity: Tree has reached the maximum height for its species, elongation has stopped but the trunk continues to thicken, overall growth rate is starting to slow, foliar density may be starting to thin.	Structural Root Zone (SRZ) displaced as metres radius. Calculation being $(DRF \times 50)^{0.42} \times 0.64$ (never less than 1.5m or greater than 15m).
Dead: Tree is in advanced decline or completely dead.	Dead: Tree is in advanced decline or completely dead.	Senescent: Tree has / is starting to retract in size through dieback and shedding of limbs. Trees in this age class may be ecologically valuable, as their structure contains habitat necessary for native fauna.	

General Recommendation and Guidelines

- All work carried out within the TPZ / drip zone of the *Subject Tree* must be approved and supervised by an experienced and qualified (Min AQF Level 5) Project arborist.
- TPZs are to remain free of Cut/ Fill/Compaction of grade unless approved and supervised by the Project Arborist. No alteration in Pre-Construction Natural Ground Level within TPZ is to occur. Tree Protection Fencing to be installed and audited before works commence.
- Any roots that are exposed and cut as part of the approved works are to be treated with appropriate fungicide by the Project Arborist, e.g. Fongarid® or similar, as per manufacturer's recommendations.
- If agreed upon, any removal of topsoil close to the TPZ perimeter of tree/s should be carried out with a batter bucket and taken in an outwards direction away from the tree stem to avoid accidental damage to any tree root system. No scraping of top soil within or close to TPZ to occur to avoid pulling and cracking of tree roots.
- No disposal of chemical waste including fuels and paint, stacking of items including building materials or soils, machinery, vehicles or equipment is to occur within any TPZ
- Where there is no installation of services within TPZ unless approved by the Project Arborist.
- At the end of the construction process all retained trees within the vicinity of the proposed construction zone should be assessed by the project arborist or an appropriately qualified consulting arborist (AQF Level 5) to review their state of health and provide further arboricultural advice and recommendations if required.
- Pruning, including crown cleaning to remove any deadwood (> 30mm or 50mm as applicable) may be required on completion of the construction works as a result of site disturbance within the vicinity of identified trees during the construction phase. Any prescribed pruning should be carried out in accordance with Australian Standard AS 4373-2007 by appropriately qualified arborist practitioners.
- Progress Site Audit Reports, including a photographic record of works are to be submitted by the Project Arborist. Project Arborist (and any tree services companies) are to have appropriate insurances and be members of the Queensland Arboricultural Association or Arboriculture Australia.

Note 2: Signage is to be installed in accordance with Australian Standard AS 4970-2009 Protection of trees on development sites as illustrated below.

[illegible][illegible]

www.independentarb.com.au

Photos



Tree 1



Tree 2



Tree 3



Tree 4



Tree 5



Tree 6



Tree 7



Tree 8



Tree 9



Tree 10



Tree 11



Tree 12



Tree 13



Tree 14



Tree 15



Tree 16



Tree 17



Tree 18



Tree 19



Tree 20



Tree 21



Tree 22



Tree 23



Tree 24



Tree 25



Tree 26



Tree 27



Tree 28



Tree 29



Tree 30



Tree 31



Tree 32



Tree 33



Tree 34



Tree 35



Tree 36



Tree 37



Tree 38



Tree 39



Tree 40



Tree 41



Tree 42



Tree 43



Tree 44



Tree 45



Tree 46



Tree 47



Tree 48




Tree 49



Tree 50



Tree 51



Tree 52



Tree 53



Tree 54



Tree 55



Tree 56



Tree 57



Tree 58



Tree 59



Tree 60



Tree 61



Tree 62



Tree 63



Tree 64



Tree 65



Tree 66



Tree 67



Tree 68



Tree 69



Tree 70



Tree 71



Tree 72



Tree 73



Tree 74



Tree 75



Tree 76



Tree 77



Tree 78



Tree 79



Tree 80



Tree 81



Tree 82



Tree 83



Tree 84



Tree 85



Tree 86



Tree 87



Tree 88



Tree 89



Tree 90



Tree 91



Tree 92



Tree 93



Tree 94



Tree 95



Tree 96



Tree 97



Tree 98



Tree 99



Tree 100



Tree 101



Tree 102



Tree 103



Tree 104



Tree 105



Tree 106



Tree 107



Tree 108



Tree 109



Tree 110



Tree 111



Tree 112



Tree 113



Tree 114



Tree 115



Tree 116



Tree 117



Tree 118



Tree 119



Tree 120



Tree 121



Tree 122



Tree 123



Tree 124



Tree 125



Tree 126



Tree 127



Tree 128



Tree 129



Tree 130



Tree 131



Tree 132



Tree 133



Tree 134



Tree 135



Tree 136



Tree 137



Tree 138



Tree 139



Tree 140



Tree 141



Tree 142



Tree 143



Tree 144



Tree 145



Tree 146



Tree 147



Tree 148



Tree 149



Tree 150



Tree 151



Tree 152



Tree 153



Tree 154



Tree 155



Tree 156



Tree 157



Tree 158



Tree 159



Tree 160



Tree 161



Tree 162



Tree 163



Tree 164



Tree 165



Tree 166



Tree 167



Tree 168



Tree 169



Tree 170



Tree 171



Tree 172



Tree 173



Tree 174



Tree 175



Tree 176



Tree 177



Tree 178



Tree 179



Tree 180



Tree 181



Tree 182



Tree 183



Tree 184



Tree 185



Tree 186



Tree 187



Tree 188



Tree 189



Tree 190



Tree 191



Tree 192



Tree 193



Tree 194



Tree 195



Tree 196



Tree 197



Tree 198



Tree 199



Tree 200



Tree 201



Tree 202




Tree 203



Tree 204



Tree 205



Tree 206



Tree 207



Tree 208



Tree 209



Tree 210



Tree 211



Tree 212



Tree 213



Tree 214



Tree 215



Tree 216



Tree 217



Tree 218



Tree 219



Tree 220



Tree 221




Tree 222



Tree 223



Tree 224



Tree 225



Tree 226



Tree 227



Tree 228



Tree 229



Tree 230



Tree 231



Tree 232



Tree 233



Tree 234



Tree 235



Tree 236



Tree 237



Tree 238



Tree 239



Tree 240



Tree 241



Tree 242



Tree 243



Tree 244



Tree 245



Tree 246



Tree 247



Tree 248



Tree 249



Tree 250



Tree 251



Tree 252



Tree 253



Tree 254



Tree 255



Tree 256




Tree 257



Tree 258



Tree 259



Tree 260



Tree 261



Tree 262



Tree 263



Tree 264



Tree 265



Tree 266



Tree 267



Tree 268



Tree 269



Tree 270



Tree 271



Tree 272



Tree 273



Tree 274



Tree 275



Tree 276



Tree 277



Tree 278



Tree 279



Tree 280



Tree 281



Tree 282



Tree 283



Tree 284



Tree 285



Tree 286




Tree 287



Tree 288



Tree 289



Tree 290



Tree 291



Tree 292



Tree 293



Tree 294



Tree 295



Tree 296



Tree 297



Tree 298




Tree 299



Tree 300



Tree 301



Tree 302



Tree 303



Tree 304



Tree 305



Tree 306



Tree 307



Tree 308



Tree 309



Tree 310



Tree 311



Tree 312




Tree 313



Tree 314



Tree 315



Tree 316



Tree 317



Tree 318



Tree 319



Tree 320



Tree 321



Tree 322



Tree 323



Tree 324



Tree 325



Tree 326



Tree 327



Tree 328



Tree 329



Tree 330



Tree 331



Tree 332



Tree 333



Tree 334



Tree 335



Tree 336



Tree 337



Tree 338



Tree 339



Tree 340



Tree 341



Tree 342



Tree 343



Tree 344



Tree 345



Tree 346



Tree 347



Tree 348



Tree 349



Tree 350



Tree 351



Tree 352



Tree 353



Tree 354



Tree 355



Tree 356



Tree 357



Tree 358



Tree 359



Tree 360



Tree 361



Tree 362



Tree 363



Tree 364



Tree 365



Tree 366



Tree 367



Tree 368




Tree 369



Tree 370



Tree 371



Tree 372




Tree 373



Tree 374



Tree 375



Tree 376



Tree 377



Tree 378



Tree 379

Reference Page

1. Standards Australia (2007): AS 4737-2007 Pruning of Amenity Trees. SAI Global
2. Standards Australia (2009): AS 4970-2009 Protection of Trees on Development Sites. SAI Global
3. Standards Australia (2012): AS4454-2012 Composts, Soil Conditioners and Mulches. SAI Global
4. Standards Australia (2018): AS4419:2018 Soils for Landscaping and Garden Use. SAI Global
5. Standards Australia (2018): AS2303: 2018 Tree Stock for Landscape Use. SAI Global
6. Shigo, A.L. (1986): *A New Tree Biology*. Shigo & Trees, Associates, Durham, New Hampshire.
7. Mattheck K, Breloer H. (1994): *The body language of trees, a handbook for failure analysis*, London, England.
8. Shigo, A.L. (1991): *Modern Arboriculture*. Shigo & Trees, Associates, Durham, New Hampshire.
9. Bassuk, N., Grabosky, J., Trowbridge, P., & Urban, J. (1996): *Structural Soil*. Urban Horticulture Institute, Cornell University.
10. Matheny, N. & Clark, J. R. (1998): *Trees and Development, A Technical Guide to Preservation of Trees During Land Development*. ISA
11. Lonsdale, D. (1999): *Principles of Tree Hazard Assessment and Management, 5th Impression*. Stationery Office Books.
12. Costello, L. R., & Jones, K. S. (2003): *Reducing Infrastructure Damage by Tree Roots, A Compendium of Strategies*. ISA
13. Costello, L. R., Perry, E. J., Matheny, N. P., Henry, J. M., & Geisel, P. M. (2003): *Abiotic Disorders of Landscape Plants, A Diagnostic Guide*. ISA
14. Clark, R. (2003): *Specifying Trees, A Guide to Assessment of Tree Quality*. NATSPEC
15. Harris, R. W., Clark, J. R., Matheny, N. P. (2004): *Arboriculture, Integrated Management of Landscape Trees, Shrubs, and Vines. 4th Edition*. Prentice Hall
16. Jol, H. M. (2008): *Ground Penetrating Radar Theory and Application 1st Edition*. Elsevier
17. Urban, J. (2008): *Up by Roots, Healthy Soils and Trees in the Built Environment*. ISA
18. Pallardy, S. G. (2010): *Physiology of Woody Plants, 3rd Edition*. Elsevier
19. Strouts, R.G., & Winter T.G. (2013): *Diagnosis of Ill-Health in Trees, 7th Impression*. Stationery Office Books.
20. Leake, S., & Haege, E. (2014): *Soils for Landscape Development. Selection, Specification, and Validation*. CSIRO
21. Roberts, J., Jackson, N., & Smith, M. (2015): *Tree Roots in the Built Environment, 2nd Impression*. Stationery Office Books.
22. Slater, D. (2017): *Assessment of Tree Forks Course Notes*. Arboriculture Association
23. Hirons, A. & Thomas, P. A. (2018): *Applied Tree Biology*. Wiley Blackwell
24. International Society of Arboriculture (2017): *Tree Risk Assessment Manual, 2nd Edition*. ISA
25. Bond, J. (2020): *Urban Tree Health*. Urban Forest Analytics LLC
26. Nearmap. (www.nearmap.com.au); accessed 2024.

Company Details

Independent Arboricultural Services

Independent Arboricultural Services, incorporated in May 2007, offers a completely independent arborist consulting and reporting service. Its directors and associated consultants bring extensive arboricultural knowledge gained over many years to this company. All consulting staff hold AQF Level 5 (Diploma of Arboriculture). Specialised advice when required, such as provision of survey mapping or engineering advice and certification is sourced from reputable professional providers according to site requirements as per Australian Standard 4970-2009.

Statement of Goal

To deliver continual improvement through the use of world's best arboricultural practices, supported by ongoing education and exposure to leading industry experts and research throughout the world.

Mission Statement

To provide timely, relevant and actionable consulting advice and practice based on the latest available and best scientific arboricultural knowledge.

Environmental Statement

Independent Arboricultural Services supports long term environmental sustainability sustainable sourced paper and ensuring all inks cartridges are recycled where possible.

Independent Arboricultural Services actively seeks to maintain a positive carbon footprint status and to that end is committed to protecting and preserving the environment, continuing to carry out tree planting, transplanting and replacement planting where practical, having planted in excess of 4000 trees in the first 2 years after its inception in May 2007 alone. Arboricultural recommendations involving the removal of tree/s will include replanting at a minimum ratio of 2 trees for any tree removed where possible. All arboricultural recommendations are made in accordance with world's best arboricultural practice and within the Australian Standards AS 4373-2007 Pruning of amenity trees and AS 4970-2009 – Protection of trees on development sites so as to ensure optimal outcomes for all living trees.

Independent Arboricultural Services acknowledges the benefits of healthy trees with good vigour and vitality and actively promotes better understanding in the general community of the contribution that trees make to reducing LOWhouse gasses, the contribution of trees to better water retention and the prevention of soil erosion, the ability of trees to provide protection to infrastructure by diffusing strong winds in weather events and the contribution of trees to general liveability within the urban environment.

It is an acknowledged fact that air temperature beneath a tree canopy can be in excess of 5° Celsius lower than the surrounding ambient air temperature thereby reducing reliance on LOWhouse gas producing air conditioners and coal fired power sources.